





PELER

Evaporative coolers for an immediate feeling of freshness



Versatility, innovation and style at the service of comfort

Thanks to Olimpia Splendid's innovative design, air distribution is optimised while blending effortlessly with any interior style.






Solutions for every space

The range of Olimpia Splendid coolers adapts to any setting, from residential to commercial environments. Featuring a selection including both indoor and outdoor versions, we offer custom solutions for all spaces and needs.

User-friendly technology

Maximum attention to the ease of use of the product. The different features are set via the touchscreen display and maintenance is extremely easy, thanks to solutions for filling from above or below.

Evaporative coolers

small	medium	big
<p>NEW</p>  <p>PELER 4T (99211)</p>	<p>NEW</p>  <p>PELER 7T (99210)</p>	<p>NEW</p>  <p>PELER 25 WIFI (99209)</p>
	<p>NEW</p>  <p>PELER TOWER 10 (99208)</p>	<p>NEW</p>  <p>PELER 40 (99207)</p>

 Integrated Wi-fi

 Dual function

NEW

PELER 4T

The evaporative cooler featuring a sleek design.

Cod. 99211



DUAL FUNCTION: FAN / COOLER

Functions with or without water, respectively as a cooler or fan.



TOP TO BOTTOM FILLING

The tank doesn't need to be removed from the lower part



TOUCHSCREEN DISPLAY

Touch-screen control panel, with minimal aesthetic impact, for immediate control.



AIR FLOW AUTO-SWING

Continuous and automatic orientation of air flow from right to left

FEATURES

- Maximum power consumption: 60W
- Air flow rate (maximum): 140 m³/h
- Air speed (maximum): 7.2 m/s
- Maximum sound power level: 60 dB(A)
- Top or bottom filling
- Touchscreen display
- LED display showing the room temperature
- 3 operating modes (normal, natural, sleep)
- 3 fan speeds (low, medium, high)
- Extractable water tank (up to 4 litres)
- Purification with air filter and honeycomb evaporative panel
- 1-12 hour timer
- Antidust filter
- Swing mode for horizontal air flow
- Manual vertical flap adjustment
- User-friendly remote control included
- Compact design
- Handy wheels for transportation
- Ice boxes included



NEW

PELER 7T

The air cooler featuring an essential design that's easy to use

Cod. 99210



DUAL FUNCTION: FAN /COOLER

Functions with or without water, respectively as a cooler or fan.



TOUCHSCREEN DISPLAY

Touch-screen control panel, with minimal aesthetic impact, for immediate control.



AIR FLOW AUTO-SWING

Continuous and automatic orientation of air flow from right to left



INTEGRATED TIMER

Automatic shut-down programmable up to 7 hours

FEATURES

- Maximum power consumption: 80W
- Air flow rate (maximum): 300 m³/h
- Air speed (maximum): 7.0 m/s
- Maximum sound power level: 60 dB(A)
- Top or bottom filling (can be filled from the bottom by removing the screw on the rear grille)
- LED touchscreen display
- 3 operating modes (normal, natural, sleep)
- 3 fan speeds (low, medium, high)
- Large 7-litre water tank
- Purification with air filter and honeycomb evaporative panel
- 1-7 hour timer
- Antidust filter
- Swing mode for horizontal air flow
- Manual vertical flap adjustment
- User-friendly remote control included
- Super-compact design
- Handy wheels for transportation
- Ice boxes included



NEW

PELER TOWER 10

The double-fan evaporative tower cooler

Cod. 99208



DUAL FUNCTION: FAN /COOLER
Functions with or without water, respectively as a cooler or fan.



DRY AIR FUNCTION
Evaporative panel drying function to prevent the formation of mould and bacteria.



DOUBLE FAN
Double-fan tower design for improved air distribution in any space.



AIR FLOW AUTO-SWING
Continuous and automatic orientation of air flow from right to left

- FEATURES**
- Maximum power consumption: 38W
 - Air flow rate (maximum): 1000 m³/h
 - Air speed (maximum): 6.5 m/s
 - Air reach up to 12 m
 - Maximum sound power level: 63dB(A)
 - Filling directly from tank
 - LED display
 - 3 operating modes (normal, natural, sleep)
 - 24 fan speeds
 - 10-litre water tank
 - Purification with air filter and honeycomb evaporative panel
 - 1-24 hour timer
 - Antidust filter
 - Automatic swing mode for horizontal air flow
 - Pump protection system
 - Water tank low-level flashing light
 - User-friendly remote control included
 - Memory Function
 - Easy to disassemble and fold (top part nests into the tank) for compact storage when not in use
 - Handy wheels for transportation
 - Ice boxes included



PORTABLES

UNICO

MONO AND MULTISPLIT

AIR COOLERS

NEW

PELER 25 WIFI

The ideal evaporative cooler for superior comfort.

Cod. 99209



DUAL FUNCTION: FAN /COOLER

Functions with or without water, respectively as a cooler or fan.



DIGITAL CONTROLS

Latest generation panel, for precise control over all the functions.



DRY AIR FUNCTION

Evaporative panel drying function to prevent the formation of mould and bacteria.



PLASMA FUNCTION

Constant air ionisation function (always active) for improved quality



FEATURES

- Maximum power consumption: 90W
- Air flow rate (maximum): 1500 m³/h
- Air speed (maximum): 8.0 m/s
- Air reach up to 13 m
- Maximum sound power level: 58dB(A)
- AC motor
- Direct filling from tank
- LED display
- 3 operating modes (normal, natural, sleep)
- 3 fan speeds (low, medium, high)
- 3 air intakes for enhanced air flow
- Large 25-litre water tank
- Purification with air filter and honeycomb evaporative panel
- 1-9 hour timer
- Antidust filter
- Automatic swing mode with 360° rotation
- Water tank low-level flashing light
- User-friendly remote control included
- Easy to disassemble and fold (top part nests into the tank) for compact storage when not in use
- Handy wheels for transportation
- Ideal for medium-sized areas (such as indoor openspaces) and outdoor areas (such as verandas, patios)
- Ice boxes included



NEW

PELER 40

The ideal evaporative cooler for large, outdoor spaces

Cod. 99207



LARGE SPACES AND OUTDOORS

Perfect for large areas, shops, restaurants and outdoor settings, with a powerful air flow and vortex system.



DUAL FUNCTION: FAN /COOLER

Functions with or without water, respectively as a cooler or fan.



DRY AIR FUNCTION

Evaporative panel drying function to prevent the formation of mould and bacteria.



TOUCHSCREEN DISPLAY

Touch-screen control panel, with minimal aesthetic impact, for immediate control.

FEATURES

- Maximum power consumption: 120W
- Air flow rate (maximum): 1800 m³/h
- Air speed (maximum): 7.0 m/s
- Air reach up to 14,4 m
- Maximum sound power level: 65dB(A)
- Filling directly from tank
- Touchscreen Display
- 3 operating modes (normal, natural, sleep)
- 3 fan speeds (low, medium, high)
- 3 air intakes
- 40-litre water tank
- Purification with air filter and honeycomb evaporative panel
- 1-9 hour timer
- Antidust filter
- Automatic swing mode for horizontal air flow
- Pump protection system
- Water tank low-level flashing light
- User-friendly remote control included
- Handy wheels for transportation
- Tank emptying via special plug
- Ideal for large outdoor spaces
- Ice boxes included




PORTABLES

UNICO

MONO AND MULTISPLIT

AIR COOLERS

Evaporative coolers

		NEW	NEW	NEW	NEW	NEW
		PELER 4T	PELER 7T	PELER TOWER 10	PELER 25 WIFI	PELER 40
PRODUCT CODE		99211	99210	99208	99209	99207
EAN CODE		8021183992113	8021183992106	8021183992083	8021183992090	8021183992076
Electrical power supply	V/F/Hz	220-240 /1/50 - 60	220-240 /1/50 - 60	220-240 /1/50 - 60	220-240 /1/50 - 60	220-240 /1/50 - 60
Maximum power absorption	W	60	80	38	90	120
Stand-by power consumption	W	-	0,2	0,4	0,5	0,5
Fan speed	n	3	3	24	3	3
Air flow rate (maximum)	m ³ /h	140	300	1000	1500	1800
Air speed (maximum)	m/s	7,2	7	6,5	8,0	7,0
Sound pressure level (1)	dB(A)	45	60	55	44	65
Maximum Sound power level (1)	dB(A)	 60	 60	 63	 58	 65
Insulation class		II	II	II	II	II
Power cable	n / mm ²	2 x 0,75	2 x 0,75	2 x 0,75	2 x 0,75	2 x 0,75
Water tank capacity	l	3,8	7	10	25	40
Evaporative sheet		Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb
Control panel		Touch	Touch	Digital	Digital	Touch
Conformity mark		CE	CE	CE	CE	CE
Dimensions (WxD)	mm	260 x 600 x 232	235 x 567 x 260	309 x 938 x 279	333 x 840 x 418	485 x 1009 x 403
Gift box dimensions (WxD)	mm	293 x 630 x 265	286 x 593 x 311	340 x 775 x 330	386 x 600 x 454	560 x 1090 x 490
Weight (without packaging)	kg	4,0	3,6	6,1	7,1	14,1
Weight (with packaging)	kg	5,3	4,4	8,5	10,5	18,0
Timer		✓	✓	✓	✓	✓
Removable water tank		✓	-	✓	✓	-
Oscillating function		✓	✓	✓	✓	✓
Remote control		✓	✓	✓	✓	✓
Ionizer		-	-	-	✓	-
Power off switch		-	-	-	-	-
Power supply cable housing		-	-	-	-	-

(1) Test conditions: the sound pressure was measured in a semi-anechoic chamber at a distance of 2 metres from the front part of the appliance with the microphone at a height of 1 metre. During measurement, all device functions are enabled except swing (if present).